

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/065,570	KHAN ET AL.	
	Examiner	Art Unit	
	Thuy N. Pardo	2168	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to 8/17/2007.
2.  The allowed claim(s) is/are 1-20.
3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of
 Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.



Thuy N Pardo  
Primary Examiner  
Art Unit: 2168

## **DETAILED ACTION**

1. Applicant's Amendment filed on August 17, 2007 in response to Examiner's Office Action has been reviewed. Claims 1-20 are pending in the application.

### ***Response to Arguments***

2. Applicant's arguments, see page 8-10, filed on August 17, 2007, with respect to the rejections of claims 1-20 under 35 U.S.C. 103(a) as being unpatentable over Melick et al. (Hereinafter "Melick") US Patent Application No. 2001/0047283 in view of Reed et al. (Hereinafter "Reed") US Patent No. 5,737,609, have been fully considered and are persuasive.

### ***Allowable Subject Matter***

3. Claims 1-20 are allowed over the prior art of record.

The following is an Examiner's Statement of Reasons for Allowance:

The prior art of record fails to teach or suggest individually or in combination defect codes for assigning different categories, the different categories are a physical category and a document category, the categorized defect codes are assigned and stored in the receipt inspection reporting data within the database; and the receipt inspection reporting data is processed via multiple layers for review and approval before being reported as set forth in independent claims 1, 5, 9 and 17.

Claims 2-4, 6-8, 10-16 and 18-20 being further limiting to independent claims 1, 5, 9 and

17 are also allowed.

The closest prior art, Melick et al. US Patent Application No. 2001/0047283 teaches bar-coded information is displayed on the remote computer. Once the user has performed an inspection on the equipment, the user may update the information through a keyboard or other input device. This updated information is stored on the database. Using this database, reports can be generated to show compliance with governmental and insurance requirements. The closest prior art fails to anticipate or render Applicant's limitations above obvious.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuy N. Pardo whose telephone number is 571-272-4082. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Vo can be reached on 571-272-3642. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number:  
10/065,570  
Art Unit: 2168

Page 4

Thuy N Pardo  
Primary Examiner  
Art Unit 2168

A handwritten signature in black ink, appearing to read "Thuy N Pardo". The signature is fluid and cursive, with a long horizontal line extending from the end of the last name.

**THUY PARDO  
PRIMARY EXAMINER**